From: Goodrich, Donald Sent: Mon 8/10/2015 11:45:07 PM Subject: RE: CLP R8 support Cool Don Goodrich US EPA Region 8 office: 303-312-6687 cell: 303-905-4024 ----Original Message-----From: Graham, Richard Sent: Monday, August 10, 2015 5:32 PM To: Goodrich, Donald Subject: Re: CLP R8 support Oh, thanks, E time zone. Now I c. Will try 4awhile Sent from my iPhone > On Aug 10, 2015, at 5:30 PM, Goodrich, Donald <Goodrich.Donald@epa.gov> wrote: > It's at 9am our time. I sent the request on to Deb as well. It would be nice to have a toxicologist(s) on the call to help cover the reporting requirements. Nick, it also sounds like we need a certified DW lab. > -dgg > Don Goodrich > US EPA Region 8 > office: 303-312-6687 > cell: 303-905-4024 > ----Original Message-----> From: Graham, Richard > Sent: Monday, August 10, 2015 5:27 PM > To: Gannon, Nick > Cc: Goodrich, Donald > Subject: Re: CLP R8 support > not available 11am. Doing presentation at conference at that time. Let me c if den McLean is.. > Sent from my iPhone >> On Aug 10, 2015, at 5:19 PM, Gannon, Nick <Gannon.Nick@epa.gov> wrote: >> Are you available to join the CLP call tomorrow morning to discuss the technical requirements for the Gold King Mine release? I want to make sure we have a toxicologist on the call to cover the requirements. >> >> Much appreciated, >> Don >> -----Original Appointment----->> From: Gannon, Nick >> Sent: Monday, August 10, 2015 3:07 PM

To:

Graham, Richard[Graham.Richardv@epa.gov]

```
>> To: Gannon, Nick; Hoff, Melanie; Appleby, Charlie; Myer, Shari; Goehl, Sara; Taylor, Lucinda;
Goodrich, Donald; Caroline Kramer
>> Subject: CLP R8 support
>> When: Tuesday, August 11, 2015 11:00 AM-12:00 PM (UTC-05:00) Eastern Time (US & Canada).
>> Where: DCRoomPYS4671/OSRTI-Potomac-Yard-South
>>
>>
   Nonresponsive Conference Code
>>
>> Open discussion for ISM support for R8.
>> -
       TAT
>> -
       matrices
>> -
       Analyte TCLs
>> -
       CRQLs
>> -
       Lab capacity
       Deliverables
>> -
>> -
       Q+A
>>
>>
```

>> <meeting.ics>